

City of Sandy Springs

WEEK IN REVIEW

UPCOMING MEETINGS

June 21, 2021 6pm	Community Meeting 1 CA21-0001 - 6669 Peachtree Dunwoody Road Embassy Suites by Hilton Atlanta Perimeter Center 1030 Crown Point Parkway, Atlanta, Georgia 30338 https://bit.ly/3yTVfhi
June 23, 2021 6pm	Community Meeting 2 U21-0004—7800 Mount Vernon Road City Hall—Studio Theatre http://spr.gs/u21-0004zoom
June 24, 2021 6pm	Community Meeting 1 CA21-0002 (5180 Roswell Road) CMCH, 5180 Roswell Drive, Sandy Springs, GA 30342 http://spr.gs/ca21-0002zoom
June 24, 2021 6pm	Charter Review Commission Meeting City Hall—Barfield http://spr.gs/2021crc

COMMUNITY EVENTS

June 19, 2021 8:30am	Sandy Springs Farmers Market City Green
June 20, 2021 Gates Open 5pm Show Starts 7pm	Concerts by the Springs: Bumpin' the Mango Heritage Amphitheatre
June 25, 2021 6pm Gates Open 5pm Show Starts 7:30pm	City Green Live: Randall Bramblett & The Megablasters Opening Act: AJ Ghent City Green

CUSTOMER SERVICE AND COMMUNITY ENGAGEMENT

CALL CENTER

- Total calls last week: 1,126
- Average handle time: 127.9 sec.
- Average speed of answer: 30.1 sec.

NEIGHBORHOOD RELATIONS

- Fire Station 5 Community Meeting 2. Wednesday, June 23, 6PM. City Hall-Studio Theatre

ECONOMIC DEVELOPMENT & THE NORTH END

RECRUITMENT MEETINGS

- None

PARTNERSHIP MEETINGS

- Staff attended SSPC Signature Luncheon

MARKETING MEETINGS

- Staff met with Public Works to coordinate promotion of upcoming Non-Transit Rider Survey distribution

SUSTAINABLE GROWTH & ENVIRONMENTAL STEWARDSHIP

STORMWATER

- 54 identified projects: four are under design, three are in contract development, five in easement acquisition, two in technical review, three in scope development, and the remaining pending final invoice or inspection.
- Five new stormwater work requests received.
- Details on specific projects with activity during reporting week below:
 - 70 Seville Chase (Construction) – Pipes and structures will be lined or replaced. Utility coordination underway with Fulton County to replace degraded sewer line in conjunction with construction. Construction progressing as planned. A change order is under review. Undermined CMP pipe was filled with lean concrete.
 - 435 Pine Forest Road – Phase II plan development completed. Construction started April 1. Stormwater junction box installed. Restoration work is underway. Consultant preparing grading alternatives to complete project. Contractor preparing a change order for project site restoration. Approved change order and completed re-grading the project limits. Fine grading completed. Sod placement and final stabilization underway.
 - 4878 Long Island Drive (Pre-construction) – Project consultant prepared plans to replace a deteriorating end wall along Long Island Drive just outside the right of way. Discussion with impacted homeowners continues. Construction continues. Clearing completed. First stormwater junction box installation completed. Drainage pipes installed. Fill placement is underway.
 - 821 Tanglewood/4825 Jett Road (Pre-construction) – A pipe will be replaced under the road. Working remaining easements. Installation of needed stormwater piping is ongoing. Downstream work completed. Junction box installed. Remaining pipe laying task is underway.
 - 7275 Twin Branch Road – Stormwater system has failed and must be replaced. The project is in condition review and concept phase. Concept level designs completed. An updated easement document sent to affected property owner for signature. Plans submitted for permit. Awaiting easement donation. Project placed on hold until legal clarification received.
 - 5690 Lake Forrest Drive – A depressed area in front yard is under investigation. Soil testing/sampling completed. Written report including recommendations received. Coordination with the property owner is underway. Purchasing has published the request to bid. Bidder questions answered. Bid received and lowest bid selected for award.
 - 7236 Thornhill Lane – Existing Conditions Assessment Study kicked off and ground run survey completed. Received cost proposal for additional study. A change order request is routing for approval. Awaiting Purchase order approval.
 - 980 Crest Valley Road – The design project will correct streambank erosion near a pipe end. A headwall will be designed and other repairs will be engineered. Conceptual plans were reviewed and approved. Construction documents received. Plans submitted for permitting. Plans approved for construction. Project is moving to bid phase. Project is in open bid phase.
 - 140 Landsdowne Drive – The design project main objective is to rehabilitate the deteriorating stormwater system located between 120 and 140 Landsdowne Drive. The site investigation report has been prepared and approved. Consultant submitted Concept Plans and Stormwater Report for review and approval. Reviews were completed and comments noted. Construction plan preparation phase initiated.

RECREATIONAL & CULTURAL ENRICHMENT

PROJECTS

- Allen Road Park: Substantial Completion established with designers site review and punchlist this week. Contractor working on short list of needed corrections; primarily plant replacement.
- Hammond Park: Erosion Control Project: The retaining wall above the gym has been poured. New sidewalk from Hammond Drive into the east parking lot is near completion.
- Hammond Park Field Turf Replacement: Additional funds have been authorized to purchase a pad to be installed under turf and replace the fields' collector pipe system. Staff is preparing a change order to the contract.
- Overlook Park Streambank Restoration Project: The designer presented a revised concept plan to Community Development. Requested adjustments have been made and are returned to Community Development for supplemental review. Permit requests to various state and federal entities will follow.

SUSTAINABILITY

- Sustainability staff is developing the planting plans with Trees Atlanta for the upcoming season.
- Sustainability and GIS staff are updating the tree survey and story map.
- Sustainability and Planning and Zoning staff wrapped up the text amendments to allow public trails in stream buffers, and to update the restoration standards, approved by Mayor and Council on June 15.
- Sustainability staff toured a demonstration project on the River Lands regional trail network, June 13.

MAINTENANCE

- Hammond Park and Overlook Park restroom sinks and urinals repaired.
- Large tree limb removed at Spalding Park.
- Parks staff repaired swings at Overlook Park playground.
- Parks staff removed Hornets nests at Overlook Park pavilion.
- Parks staff inspected Lost Corner trail to check for down trees or hanging limbs. Found one hanging limb that is taped off.
- Parks staff repaired the split rail fence at Spalding trail.
- Parks staff removed old monument sign and refurbished area with sod at Sandy Springs Tennis Center.
- Parks staff cut up and removed large limbs brought down by a storm at Windsor Meadows.
- Parks staff removed graffiti from pavilion, repaired basketball fence and repainted parking sign at Allen Rd. Park.

FACILITY RESERVATIONS

- Indoor: 1
- Pavilion: 13
- Turf: 9
- Tennis: 153

PROGRAMMING

- Staff worked Summer Day Camp-Sports and Animal Planet week two with 31 participants.
- Staff worked Summer Hangout Camp week two for middle school age with 30 participants.
- Staff facilitated Mushroom Walk and Craft with 15 participants.

TRANSPORTATION ACCESSIBILITY & COMMUNITY APPEARANCE

TSPLOST PROGRAM

- TS-103 Spalding/Dalrymple/Trowbridge Intersection Improvement Project: Project is complete.
- TS-105 Roswell Road at Grogan's Ferry Road Intersection Improvement: Initial traffic control installed. Clearing and grubbing complete. Georgia Power overhead line relocations have begun. Grading work underway.
- TS-106 Northside Drive at Riverview/Old Powers Ferry: Right of way acquisition underway. Final plans complete. Overhead utility relocation coordination ongoing.
- TS-107 ATMS 4 – SCOOT Implementation in the Perimeter Area: All fieldwork is complete. Equipment detection validation and system tuning underway with final walk-through completed.
- TS-108 Roswell Road at Dalrymple Road: Final plans are complete. Right of way acquisition is underway.
- TS-111 Spalding Drive at Pitts Road: Right-of-way acquisition efforts are beginning with right of way staking completed. Utility coordination ongoing. Final plan production ongoing.
- TS-166 Spalding Drive Widening Project: Winters Chapel Road to Holcomb Bridge Road: Georgia Power Company installed new poles to relocate facilities. The construction contractor (administered by Gwinnett County) is advancing new roadway and bridge construction with bridge and roadway widening work currently underway.
- TS-167 Brandon Mill Sidewalk from Marsh Creek to Lost Forest: Council approved award of a new construction contract contingent upon the outcome of negotiations with the former contractor. As a resolution is determined, we will provide updates on the revised timetable and activity schedule. The construction site has been temporarily secured pending resolution.
- TS-168 Dalrymple Road Sidewalk (Princeton Way to Duncourtney Dr.): This segment will provide sidewalk on at least one side of the road along Dalrymple from Roswell Road to Brandon Mill Road. Design is underway. Construction planned to begin late 2021.
- TS-169 Dunwoody Club Drive Sidewalk from Spalding Drive to Fenimore Circle: Design work, advance utility relocations and right of way acquisition are nearing completion. Construction planned to begin this month. Anticipated construction duration is six months. Motorists advised to expect ongoing lane closures.
- TS-170 Interstate North Parkway Multi-use Path (Northside Drive to the Chattahoochee River Bridge): Construction contract awarded with construction planned to begin this month. Anticipated construction duration is seven months. Motorists advised to expect ongoing lane closures.
- TS-171 Roberts Drive Sidewalk from Northridge Road to Davis Academy: Construction to include current stormwater work with ongoing lane closures is underway as of March 2021. Construction completion scheduled this Summer. Motorists are advised to expect ongoing lane closures.
- TS-172 Brandon Mill Road Sidewalk (Lost Forrest Drive to Brandon Ridge Drive): This sidewalk segment will complete a sidewalk network connecting the length of Brandon Mill Road from Dalrymple Road to Abernathy. Design is underway. Construction planned to begin early 2022.
- TS-191 Mt. Vernon at Johnson Ferry Improvements: Staff is coordinating with Georgia Power Company to advance plans and schedule for the relocation of transmission poles at Mt. Vernon Highway and Roswell Road and undergrounding of aerial utility services in the area from Roswell Road to Hilderbrand on both Johnson Ferry and Mt. Vernon Highway. Coordination for Transmission Preliminary Engineering subsurface activities is underway. Right-of-Way Acquisition is underway.
- TS-192 Mt. Vernon Highway Corridor Improvements: Development of Final Plans and Drainage Report is ongoing. Stormwater design has been completed and is in review by City of Atlanta Water Department. Coordinating agreement with PCID to fund east of Barfield to Abernathy ROW Acquisition and Construction (\$2.85M). Right of way acquisition efforts are underway.

CAPITAL IMPROVEMENT PROGRAM (CIP)

- T-0019 Roswell Road Streetscapes (East Side - City Limit to I 285. West Side - City Limit to Long Island): This federally-funded, MARTA sponsored project is advancing with concept design work underway. Field survey work is underway.
- T-0033-7 CDBG Sidewalks Roswell Road Streetscape from I-285 to Long Island: Sidewalk construction is near completion with work underway north of the intersection of West Belle Isle Drive and Roswell Road. Currently awaiting utility relocations to complete work and then install pedestrian scale street lighting. In advance of lighting installation, the Lighting Agreement with the Georgia Department of Transportation has been approved by Mayor and Council.
- Phase 2 of the project from the Prado (Lake Placid Drive) to I-285 is currently in right of way acquisition and utility coordination. Phase 2 construction is planned for late 2021.
- T-0035 Roswell Road Bicycle/Pedestrian Bridge over Chattahoochee River: This project is being delivered through cooperation with the City of Roswell and the Georgia Department of Transportation. The Atlanta Regional Commission has approved sufficient funds to support the estimated construction cost of the project.
- T-0043 Glenridge Drive @ Roswell Road Intersection Realignment: This construction project is administered by the Georgia Department of Transportation (GDOT). Construction activity has ceased temporarily while GDOT and City of Atlanta Watershed coordinate completion of waterlines impacting construction. Although currently delayed, GDOT forecasts the project to be completed August/September 2021.
- T-0058-1 Boylston Drive Streetscape and Hammond intersection realignment: This project will complete streetscape improvements between Hilderbrand Drive and Hammond Drive and realign the intersection at Hammond to improve traffic efficiency. Concept design is currently underway. Right-of-way acquisitions and utility coordination are scheduled to begin in 2022 and construction is anticipated to begin in 2023.
- T-0060 SR 400 Multi-Use Path: GDOT has received the City of Sandy Springs' executed Contract for Acquisition of Right of Way. Expecting ROW Acquisition Notice to Proceed (NTP) from GDOT June 14. Geotechnical investigation borings for the wall areas (WFI) and bridge areas are complete.
- T-0064 Peachtree Dunwoody at Telford Roadway Improvements Project: This project provides safety enhancements along the road near the intersection. Right-of-way acquisitions and utility coordination are nearly complete with construction planned to begin Fall 2021.
- T-0067 Mt. Vernon Highway/Dupree Intersection upgrade: The project will upgrade signal infrastructure to meet current standards and will include decorative poles and mast arms. Construction bids are due this month with construction planned to begin Fall 2021.
- T-0069 Peachtree Dunwoody at Windsor Parkway Intersection Project: This project provides safety and operational improvements at the existing intersection. Right-of-way acquisition and utility coordination are underway. Construction planned for Fall 2021.
- CC-0010 Sandy Springs Circle Streetscape Hammond to Mt. Vernon Hwy: Lighting installation continues this week. Storm drainage system installation is underway with work on major side slopes and retaining walls underway. Lane shifts and ongoing lane closures are in use along Sandy Springs Circle. The project is forecasted to be completed by August 2021.

TRANSPORTATION/TRAFFIC

- The Georgia Smart Communities project with the Georgia Institute of Technology continues. The City of Sandy Springs, in partnership with the City of Dunwoody, MARTA, and Georgia Tech researchers, submitted a proposal in June 2020 for a grant to "Streamline Suburban Transit" to improve the transit experience for existing and future riders. The project will leverage existing infrastructure to test transit signal priority (TSP) technology using bus location data published through an application program interface (API) instead of communicating with a unit on board the bus. The results of this study will inform how TSP could be implemented in the City in the future. The Georgia Smart grant was announced in early August, and Sandy Springs was awarded a grant of \$75,000 from the Atlanta Regional Commission to undertake the project. The City's match for the grant is \$18,750, for a total of \$93,750. The project is currently testing Transit Signal Priority operations on the MARTA Route 5 in the Hammond Drive and Roswell Road corridors. The project has funded two interns to work with City staff on the project, and the interns started work in May.
- The Transportation Department is working with neighbors in Whitner/Idlewood, Wyndham Hills, Huntcliff, Glenridge-Hammond, Jett Road, and Glen Errol on traffic calming initiatives. The City's Adopted Traffic Calming policy is a neighbor-driven process to calm traffic on neighborhood streets. <http://www.sandyspringsga.gov/city-services/transportation-infrastructure/traffic-calming>

- The Traffic Department is continuing the engineering analysis and design for short-range improvements and long-range alternatives to address ongoing safety concerns at the Roswell Road/SR 9 at Abernathy Road intersection.
- The Traffic Management Center is upgrading back-up power systems for 30 signalized intersections. There may be brief, intermittent signal outages (i.e., signal in flash or signal dark) during construction. The project is 75% complete.
- The Traffic Department is undertaking a concept study at the Intersection of Mt. Vernon Highway and Long Island Drive under the Intersection Operations and Safety Program. Concept development is underway.
- The Traffic Management Center is upgrading Vehicle Approach Warning Flashers (VAWF) at the following locations: Dunwoody Club Drive and Chaparral Pl, High Point Road and Bransford Road, Lake Forrest Drive and Burdette Road, Powers Ferry Road and Carol Lane, on Carpenter Drive, Riverside Drive and Wildercliff Drive, and Riverside Drive and Pointe Ridge Drive. The project will continue through the early summer.
- The City's Striping Contractor has initiated pavement marking maintenance activities. All striping for the current fiscal year will be completed by June 30. The following locations are identified for refreshed pavement markings:
 - ◊ Segments:
 - ◊ Spalding Drive from Auden Trail to the City limits - Complete
 - ◊ Northwood Road between Lake Forrest Drive and Roswell Rd - Complete
 - ◊ Allen Road from between Lake Forrest Drive and Roswell Rd - Complete
 - ◊ Heard's Ferry Road between Mt. Vernon Highway and Riverside Drive - Complete
 - ◊ Londonberry Road from Long Island Drive to Powers Ferry Rd - Complete
 - ◊ Highpoint Road between Windsor Pkwy and Glenridge Drive - Complete
 - ◊ Intersections:
 - ◊ Highpoint Road at Windsor Pkwy - Complete
 - ◊ Pitts Road at Spalding Drive - Complete
 - ◊ Sandy Springs Circle at Cliftwood Drive - Complete
 - ◊ Dalrymple Rd at Duncourtney Drive - Complete
 - ◊ Mt. Paran Rd at Powers Ferry Rd - Complete
 - ◊ Mountain Brook Way at Old Creek Trail - Complete
 - ◊ Mountain Brook Way at Mountain Brook Lane - Complete
 - ◊ Windsor Pkwy at Estate Way/Crestwicke Pointe - Complete
 - ◊ Abernathy Road at Barfield Rd - Complete
 - ◊ Roswell Road at Green Hill Road - Complete
 - ◊ Hammond Drive at Glenridge Drive - Complete
 - ◊ Jett Ferry Road at Spalding Drive - Underway
 - ◊ Peachtree Dunwoody Rd at Evergreen Drive - Underway
 - ◊ Peachtree Dunwoody Road at Hollis Cobb Circle
 - ◊ Roswell Road at Hightower - Underway
 - ◊ Roswell Road at Green Hill Road - Complete
 - ◊ Jett Ferry Road at Spalding Drive - Underway
 - ◊ Hammond Drive at Glenridge Drive - Underway
 - ◊ Peachtree Dunwoody Rd at Evergreen Drive - Underway
 - ◊ Peachtree Dunwoody Road at Hollis Cobb Circle

FIELD SERVICES

T-3000 Pavement Maintenance:

- FY2020 Resurfacing underway.
- FY2021 Resurfacing work began November 9, 2020.
- FY2021 Pavement Condition Inspection completed and being prepared for presentation.

FY2020 and FY2021 RESURFACING SCHEDULE: Please note that the resurfacing schedule is subject to change as weather interruptions may delay work activities. Paving is routinely conducted in three phases with patching, then milling the existing pavement and finally installing a new asphalt topping. Paving schedule is currently in review with contractor.

- T-3000 Deep Mill Repair Project: Work to begin in approximately six weeks pending contract award and contractor mobilization.
- T-4000 City Beautification: Johnson Ferry Landscape Enhancement project contract has been issued and pre-construction meeting held. Contractor to begin work in August in conjunction with planting season.
- T-7500 Guardrail Replacement Program:
- Four sites under review by GDOT for replacement through Off System Safety Funds.
- Design underway for 20 sites throughout the City with design completion scheduled for August.
- Concept design completed for all 20 sites. Site surveying began week of June 7, 2021.
- T-9100 FY2021 Bridge Maintenance:
 - Bids are under review.
- Right of Way Maintenance
 - Mowing on I-285 and Ga SR 400 underway.
 - Mowing on City primary and secondary routes underway for this growing season.
 - Citywide Right-of-Way litter removal services exhibiting improvement in most areas.
 - Street sweeping: Underway with most work performed in the evenings.
- Utilities
 - 14 – Utility permit requests received
 - 7 – Permits issued
 - 33 – Active Large jobs (34 permits) (Fulton Co.: 4, Verizon: 22; City of Atlanta Water: 4; Comcast: 4)
 - 0 – Completed
- City of Atlanta Water
 - 5 – Active water leaks
 - 40 – Outstanding Restorations
- Street Lighting
 - 1 – Requests for new street lights received
 - 1 – Street Light petition sent to residents
 - 0 – Lease agreement in circulation for signatures
- After Hours Calls:
 - 6/7/21 – Staff received a report of a signal in flash at Roswell Road and Spalding Drive. Signal contractor responded, reset signal.
 - 6/11/21 – Staff received a report of a signal outage at Peachtree Dunwoody Road and Windsor Pkwy. Signal contractor responded, fixed signal.
 - 6/11/21 – Staff received a report of barricades needed due to tree down at 5759 Riverside Drive. Sign contractor set up barricades and detour.
 - 6/13/21 – Staff received a report of a signal at Roswell Road and Dalrymple Road being completely dark. Signal contractor responded, reset signal.
- Traffic Services crews completed 23 work orders:

Signals / Lights:

- | | |
|---|------------------------------------|
| 1 | High Limb Training |
| 1 | Power Outage |
| 1 | Maintenance—Cabinet |
| 5 | Maintenance—Poles and Field Wiring |
| 1 | Request to Modify Traffic Signal |
| 1 | Fiber Locate |

Signs:

- | | |
|---|--------------------------------|
| 1 | Missing Sign |
| 5 | Request for New Sign |
| 2 | Replace Sign |
| 1 | Remove Sign and/or Post |
| 1 | Trim Vegetation |
| 3 | Emergency Event/Special Events |

- Field Services

21 – Service requests were received and 21 service requests/work orders completed

- | | | | |
|---|------------------------|---|-----------------------|
| 3 | Dead Animal | 2 | Resurfacing/Cracks |
| 4 | Litter in Right of Way | 1 | Sidewalk/Curb/Gutters |
| 1 | Potholes | 4 | Tree Removal |
| | | 6 | Trim/Vegetation |

COMMUNITY APPEARANCE**Weekly Inspection Report**

6/10/21				
ROADWAY	LITTER	MOW-ING	STREET SWEEP-ING	NOTES
Roswell Road				
North of Abernathy	C-	A-	N/A	High grass at Weber School. High grass and litter in construction zone. Litter throughout. Weeds in sidewalk at 7530.
South of Abernathy	B	A-	N/A	High grass at 4920 and 4674. Light litter throughout.
Northridge	C	A	N/A	Litter both sides.
Dunwoody Place	D	A-	B	Turn lanes at Publix not swept. High grass at 8601. Litter both sides.
Abernathy	A	A-	A	High grass at 6681. High grass at Wright Rd.
Sandy Springs Circle	C-	B	A	Lots of litter at Lake Forest Elementary School. High grass in construction area.
Johnson Ferry	B	A	N/A	Litter behind guardrail at river.
I-285				
Eastbound	A-	N/A		Litter in construction exits.
Westbound	A-	N/A		Sign on Northside Dr and Roswell Rd exits. Litter in construction exits.
GA-400				
North of I-285	B	A		Debris around Marta area going Northbound. Litter in construction exits.
South of I-285	C	Not done		Lots of litter.

CODE ENFORCEMENT

- Citations: 1
- Complaints: 31
- Inspections: 121
- Notice of Violations: 10
- Resolutions: 18
- Signs: 19
- Short Term Rentals: 0
- Open Records Requests: 4

WEEK ENDING JUNE 18, 2021

Case Number	Case Type	Case Status	Case Address	Open Date	District
PM-004403-2021	Property Maintenance	Closed	8315 HEWLETT RD Sandy Springs, GA 30350	6/7/2021	1
PM-004425-2021	Property Maintenance	New Complaint	501 NORTHRIDGE RD Sandy Springs, GA 30350	6/9/2021	1
WWP-004429-2021	Work Without a Permit	New Complaint	8315 HEWLETT RD Sandy Springs, GA 30350	6/11/2021	1
PM-004418-2021	Property Maintenance	New Complaint	569 NORTHRIDGE A RD Sandy Springs, GA 30350	6/8/2021	1
TRSH-004419-2021	Trash/Debris	Voluntary Compliance	8325 ROSWELL RD Sandy Springs, GA 30350	6/8/2021	1
BL202101790	Business License	Active	144 Allen Road Sandy Springs, GA 30328	6/8/2021	2
BL202101791	Business License	Active	144 Allen Road Sandy Springs, GA 30328	6/8/2021	2
BL202101792	Business License	New Complaint	8250 DUNWOODY PL Sandy Springs, GA 30350	6/8/2021	2
BL202101794	Business License	Closed	1500 Huntcliff Sandy Springs, GA 30350	6/8/2021	2
BL202101795	Business License	Active	1500 Huntcliff Sandy Springs, GA 30350	6/8/2021	2
TRSH-004410-2021	Trash/Debris	Active	355 Winding River Drive Sandy Springs, GA 30350	6/8/2021	2
BL202101796	Business License	Active	501 N PKWY Sandy Springs, GA 30350	6/9/2021	2
SIGN-004406-2021	Sign	Voluntary Compliance	8610 ROSWELL 690 RD Sandy Springs, GA 30350	6/7/2021	2
MISC-004428-2021	Miscellaneous	New Complaint	335 BREAKWATER RDG Sandy Springs, GA 30328	6/11/2021	3
JV-004430-2021	Junk Vehicle	Closed	227 SANDY SPRINGS PL Sandy Springs, GA 30328	6/11/2021	3
GRA-004416-2021	Grass and Weeds	Active	6319 FERRY DR Sandy Springs, GA 30328	6/8/2021	3
GRA-004417-2021	Grass and Weeds	Closed	800 HAMMOND DR Sandy Springs, GA 30328	6/8/2021	3
PM-004420-2021	Property Maintenance	Unfounded	539 JOHNSON FERRY NE RD Sandy Springs, GA 30328	6/9/2021	3
BL202101793	Business License	Active	6558 ROSWELL ROAD Sandy Springs, GA 30328	6/8/2021	3
WWP-004400-2021	Work Without a Permit	Active	980 WINDING CREEK TRL Sandy Springs, GA 30328	6/7/2021	3
TRSH-004407-2021	Trash/Debris	Closed	815 GLENAIRY DR Sandy Springs, GA 30328	6/8/2021	3
AS-004408-2021	Apartment Sweeps	Active	1160 HAMMOND 2 DR Sandy Springs, GA 30328	6/8/2021	3
JV-004423-2021	Junk Vehicle	Closed	6475 CHARIOT ST Sandy Springs, GA 30328	6/9/2021	4
PRK-004421-2021	Parking	Closed	550 HIGH POINT LN Sandy Springs, GA 30342	6/9/2021	5
PM-004399-2021	Property Maintenance	Closed	5675 ROSWELL F RD Sandy Springs, GA 30342	6/7/2021	5
PM-004405-2021	Property Maintenance	Closed	4954 PEACHTREE DUN- WOODY RD Sandy Springs, GA 30342	6/7/2021	5
WWP-004409-2021	Work Without a Permit	Closed	1125 KINGSTON DR Sandy Springs, GA 30342	6/8/2021	5
WWP-004427-2021	Work Without a Permit	Active	5865 GREENBRIER RD Sandy Springs, GA 30328	6/10/2021	5
WWP-004411-2021	Work Without a Permit	Closed	4852 KITTY HAWK DR Sandy Springs, GA 30342	6/8/2021	6
TRSH-004412-2021	Trash/Debris	Transferred	5125 POWERS FERRY RD Sandy Springs, GA 30327	6/8/2021	6
SIGN-004401-2021	Sign	Closed	5575 NEW NORTHSIDE DR Sandy Springs, GA 30339	6/7/2021	6

Case Number	Case Type	Case Status	Case Address	Open Date	District
MISC-004402-2021	Miscellaneous	Closed	201 NORTHWOOD DR Sandy Springs, GA 30342	6/7/2021	6
PM-004404-2021	Property Maintenance	Closed	1280 CREST VALLEY DR Sandy Springs, GA 30327	6/7/2021	6
TRSH-004397-2021	Trash/Debris	Transferred	5125 POWERS FERRY RD Sandy Springs, GA 30327	6/7/2021	6
PRK-004398-2021	Parking	Closed	1312 CALIBRE SPRINGS WAY Sandy Springs, GA 30342	6/7/2021	6
GRA-004424-2021	Grass and Weeds	Active	178 MOUNT PARAN NW RD Sandy Springs, GA 30327	6/9/2021	6
PM-004426-2021	Property Maintenance	Active	4720 MERLENDAL DR Sandy Springs, GA 30327	6/10/2021	6

ADMINISTRATIVE EFFORTS

- The Code Enforcement Administrative Assistant handled approximately 68 public code and land complaints.
- No Alcohol license applications were reviewed.
- Five Special Event applications were reviewed.

ENFORCEMENT EFFORTS

- 8610 Roswell Road (Cowboy Brazilian Supermarket) – A Notice of Violation was issued for an illegal sign. The compliance date was June 7, 2021.
- 8325 Roswell (Roswell Exxon) – A Notice of Violation was issued for trash & debris. The compliance date was June 10, 2021.
- 5865 Greenbrier Road – A Notice of Violation was issued for construction without a permit. The compliance date was July 7, 2021.
- 569 Northridge Road Unit A – A Notice of Violation was issued for interior surfaces and required testing. The compliance date is June 18, 2021.
- 501 Northridge Road Apartment 8101 (A) – A Notice of Violation was issued for interior surfaces, plumbing systems and fixtures, electrical equipment and required testing. The compliance date is June 18, 2021.
- 980 Winding Creek Trail – A Stop Work Order was issued for construction without a permit. The compliance date is June 30, 2021.
- 355 Winding River Drive – A Notice of Violation was issued for accumulation of garbage and rubbish. The compliance date is June 18, 2021.
- 800 Hammond Drive – A Notice of Violation was issued for high grass. The compliance date was June 16, 2021.
- 6319 Ferry Drive – A Notice of Violation was issued for high grass. The compliance date is June 18, 2021.
- 178 Mount Paran Road – A Notice of Violation was issued for property maintenance. The compliance date is July 1, 2021.

PLANNING AND ZONING

- Fence Permits (issued): 2
- Zoning Certification Letters issued: 4
- Business Licenses processed and reviewed: 10
- Inquiries handled by Planner of the Day: 30
- Building application plans reviewed: 78

BUILDING AND LAND DEVELOPMENT

- Site Inspections: 68
- Building Inspections: 197
- Total Permits processed during the reporting period (received and issued): 218
- Total Customers Served Remotely: 116 phone calls, 160 emails

MAJOR COMMERCIAL BUILDING PROJECTS

BC21-00239- 20 Glenlake Pkwy NE Kaiser Permanente-Radiology Build-out renovation. Flooring, electrical, HVAC, Sprinklers, Fire Alarm, demolition, flooring, ACT, paint

PERMITS SUBMITTED AND ISSUED

- COMMERCIAL BUILDING PERMITS SUBMITTED (FIVE TOTAL):** Two Addition and Alterations, Three Interior Finishes
- COMMERCIAL BUILDING PERMITS ISSUED (NINE TOTAL):** Three Addition and Alterations, One Interior Demolition, Five Interior Finishes
- RESIDENTIAL BUILDING PERMITS SUBMITTED (20 TOTAL):** Seven Addition and Alterations, One Generator, Seven Interior Alterations, Three Single Family Attached, Two Single Family Detached
- RESIDENTIAL BUILDING PERMITS ISSUED (14 TOTAL):** Three Addition and Alterations, One Generator, Two Interior Alterations, Seven Single Family Attached, One Single Family Detached
- MAJOR LDP's SUBMITTED & ISSUED FOR REVIEW OR ISSUED (TWO TOTAL):** One Site Improvements Residential and One Site Improvements Commercial

PERMITS APPLIED BY DISTRICT 06 – 07 –21 THROUGH 06–11–21

Building Residential	265 Cameron Ridge Dr Sandy Springs, GA 30328	BR21-00441	Interior Alterations	06/07/2021	Under Review
Building Commercial	20 Glenlake Ne Pkwy Suite: Kaiser Permanente Atlanta, GA 30328	BC21-00239	Addition and Alteration	06/07/2021	Under Review
Mechanical	1080 Hightower Trl Sandy Springs, GA 30350	MC21-00285	Residential	06/07/2021	Issued
Electrical	345 Westerhall Ct Sandy Springs, GA 30328	EL21-00159	Residential	06/07/2021	Under Review
Sign	6015 Roswell Rd Sandy Springs, GA 30328	SG21-00355	Permanent Wall Mounted	06/07/2021	Under Review
Sign	6015 Roswell Rd Sandy Springs, GA 30328	SG21-00356	Permanent Wall Mounted	06/07/2021	Under Review
Mechanical	7112 Stonington Dr Sandy Springs, GA 30328	MC21-00286	Residential	06/07/2021	Under Review
Mechanical	240 River Springs Dr Sandy Springs, GA 30328	MC21-00287	Residential	06/07/2021	Issued
Mechanical	685 Tanglewood Trl Sandy Springs, GA 30327	MC21-00288	Residential	06/07/2021	Issued
Mechanical	520 Northland Ridge Ct Sandy Springs, GA 30342	MC21-00289	Residential	06/07/2021	Issued
Electrical	1550 Masters Club Dr Sandy Springs, GA 30350	EL21-00160	Residential	06/07/2021	Issued
Right of Way Utility Permit	388 Meadowbrook Dr Sandy Springs, GA 30342	UT21-00198	Utility	06/07/2021	Under Review
Demolition	5945 Riverwood Dr Sandy Springs, GA 30328	DM21-00044	Residential	06/07/2021	Under Review
Right of Way Utility Permit	1235 Hightower Trl Atlanta, GA 30350	UT21-00199	Utility	06/07/2021	Under Review
Building Residential	4755 Westfield Dr Sandy Springs, GA 30342	BR21-00445	Single Family Detached	06/07/2021	Under Review
Right of Way Utility Permit	805 Mt Vernon Nw Hwy GA	UT21-00200	Utility	06/07/2021	Under Review
Mechanical	300 Winding River Dr Suite: D Sandy Springs, GA 30350	MC21-00290	Residential	06/07/2021	Under Review
Building Residential	6251 Mountain Brook Way Sandy Springs, GA 30328	BR21-00447	Generator	06/08/2021	Under Review
Plumbing	41 Basswood Cir Sandy Springs, GA 30328	PL21-00122	Residential	06/08/2021	Under Review
Mechanical	20 Messina Way Sandy Springs, GA 30328	MC21-00291	Residential	06/08/2021	Under Review
Electrical	6535 Bridgewood Valley Rd Sandy Springs, GA 30328	EL21-00162	Residential	06/08/2021	Under Review
Electrical	2000 Riveredge Nw Pkwy Suite: Suite 950 Atlanta, GA 30328	EL21-00163	Fire Alarm	06/08/2021	Under Review
Mechanical	725 Dalrymple Rd Suite: 5E Atlanta, GA 30328	MC21-00292	Residential	06/08/2021	Under Review

Right of Way Utility Permit	37 Long Island Pl Sandy Springs, GA 30328	UT21-00201	Utility	06/08/2021	Under Review
Right of Way Utility Permit	5635 Errol Pl Sandy Springs, GA 30327	UT21-00202	Utility	06/08/2021	Under Review
Mechanical	200 Embassy Ct Atlanta, GA 30328	MC21-00293	Residential	06/08/2021	Under Review
Plumbing	645 River Valley Rd Atlanta, GA 30328	PL21-00123	Residential	06/08/2021	Under Review
Right of Way Utility Permit	7800 Mt. Vernon Rd	UT21-00203	Utility	06/09/2021	Under Review
Right of Way Utility Permit	8600 Roberts Dr Sandy Springs, GA 30350	UT21-00204	Utility	06/09/2021	Under Review
Plumbing	775 Glenair Dr Sandy Springs, GA 30328	PL21-00124	Residential	06/09/2021	Under Review
Mechanical	500 Carolwood Ln Sandy Springs, GA 30342	MC21-00295	Residential	06/09/2021	Under Review
Mechanical	6405 Paulson Pl Sandy Springs, GA 30328	MC21-00296	Residential	06/09/2021	Under Review
Plumbing	9040 Roswell Rd Suite: 200 Sandy Springs, GA 30350	PL21-00125	Commercial	06/09/2021	Under Review
Right of Way Utility Permit	180 Northland Ridge Trl Sandy Springs, GA 30342	UT21-00205	Utility	06/09/2021	Under Review
Mechanical	7105 Dunhill Ter Sandy Springs, GA 30328	MC21-00297	Residential	06/09/2021	Under Review
Mechanical	974 Thibideau Ct Sandy Springs, GA 30328	MC21-00298	Residential	06/09/2021	Under Review
Mechanical	8690 Hope Mews Ct Sandy Springs, GA 30350	MC21-00299	Residential	06/10/2021	Issued
Mechanical	1265 Mount Vernon Ne Hwy Sandy Springs, GA 30338	MC21-00300	Commercial	06/10/2021	Under Review
Mechanical	1660 Winterthur Clos Sandy Springs, GA 30328	MC21-00302	Residential	06/10/2021	Withdrawn
Right of Way Utility Permit	505 Mount Paran Nw Rd Sandy Springs, GA 30327	UT21-00206	Utility	06/10/2021	Under Review
Right of Way Utility Permit	422 Londonberry Rd Sandy Springs, GA 30327	UT21-00207	Utility	06/10/2021	Under Review
Mechanical	500 Forestdale Dr Sandy Springs, GA 30342	MC21-00303	Residential	06/10/2021	Under Review
Right of Way Utility Permit	4785 Paran Oak Ct Sandy Springs, GA 30327	UT21-00208	Utility	06/10/2021	Under Review
Plumbing	1015 Heard's Ferry Rd Sandy Springs, GA 30328	PL21-00126	Residential	06/10/2021	Under Review
Retaining Wall	58 Finch Forest Trl Sandy Springs, GA 30327	RW21-00164	Residential	06/10/2021	Under Review
Mechanical	320 Keymar Ct Sandy Springs, GA 30350	MC21-00304	Residential	06/11/2021	Under Review
Plumbing	145 Cromwell Road Atlanta, GA 30328	PL21-00127	Residential	06/11/2021	Under Review
Plumbing	6000 Park Unit #6706 Ave Atlanta, GA 30342	PL21-00128	Residential	06/11/2021	Under Review

Plumbing	135 Johnson Ferry Ne Rd Sandy Springs, GA 30328	PL21-00129	Commercial	06/11/2021	Under Review
Sign	6780 Roswell Ne Rd Suite: D-100-A Sandy Springs, GA 30328	SG21-00358	Permanent Wall Mounted	06/11/2021	Under Review
Mechanical	4830 Conway Dr Sandy Springs, GA 30327	MC21-00305	Residential	06/11/2021	Under Review
Right of Way Utility Permit	5047 Nesbit Ferry Ln Sandy Springs, GA 30350	UT21-00209	Utility	06/11/2021	Under Review
Building Commercial	1115 Mount Vernon Hwy Suite: 150 Sandy Springs, GA 30338	BC21-00241	Interior Finish	06/11/2021	Under Review
Building Commercial	6480 Roswell Rd Sandy Springs, GA 30328	BC21-00242	Addition and Alteration	06/11/2021	Under Review
Building Commercial	6309 Roswell Rd Suite: 2D Sandy Springs, GA 30328	BC21-00243	Interior Finish	06/11/2021	Under Review

Council District 1

Building Residential	8232 Hewlett Rd Sandy Springs, GA 30350	BR21-00446	Interior Alterations	06/08/2021	Under Review
Building Residential	5060 Nesbit Ferry Ln Sandy Springs, GA 30350	BR21-00449	Addition and Alteration	06/08/2021	Under Review
Demolition	3910 Spalding Dr Sandy Springs, GA 30350	DM21-00045	Residential	06/09/2021	Under Review
Sign	8371 Roswell Rd Sandy Springs, GA 30350	SG21-00357	Permanent Wall Mounted	06/09/2021	Under Review
Tree Removal	8871 Applegate Ln Sandy Springs, GA 30350	TR21-00359	Tree Removal	06/11/2021	Issued

Council District 2

Tree Removal	7180 Riverside Dr Sandy Springs, GA 30328	TR21-00338	Tree Removal	06/07/2021	Issued
Tree Removal	482 Huntcliff Grn Sandy Springs, GA 30350	TR21-00347	Tree Removal	06/09/2021	Issued
Retaining Wall	314 Dalrymple Rd Sandy Springs, GA 30328	RW21-00163	Commercial	06/09/2021	Under Review

Council District 3

Tree Removal	595 River Valley Rd Sandy Springs, GA 30328	TR21-00339	Tree Removal	06/07/2021	Issued
Tree Removal	620 Bridgewater Dr Sandy Springs, GA 30328	TR21-00340	Tree Removal	06/07/2021	Issued
Building Residential	27 Angus Trl Sandy Springs, GA 30328	BR21-00444	Interior Alterations	06/07/2021	Under Review
Fence	825 Overhill Ct Sandy Springs, GA 30328	Fn21-00350	Residential General Use	06/08/2021	Under Review
Electrical	24 Basswood Cir Sandy Springs, GA 30328	EL21-00161	Residential	06/08/2021	Issued
Building Residential	6535 Bridgewood Valley Rd Sandy Springs, GA 30328	BR21-00448	Addition and Alteration	06/08/2021	Under Review
Tree Removal	400 Black Water Cv Sandy Springs, GA 30328	TR21-00342	Tree Removal	06/08/2021	Issued
Tree Removal	455 Johnson Ferry Ne Rd Sandy Springs, GA 30328	TR21-00348	Tree Removal	06/09/2021	Issued

Electrical	6535 Riverside Dr Sandy Springs, GA 30328	EL21-00164	Residential	06/09/2021	Issued
Pool	6510 Bridgewood Valley Rd Sandy Springs, GA 30328	Pool21-00076	Private Outdoor	06/09/2021	Under Review
Building Residential	6344 Mountain Brook Way Sandy Springs, GA 30328	BR21-00450	Addition and Alteration	06/09/2021	Under Review
Mechanical	1265 Mount Vernon Ne Hwy Sandy Springs, GA 30338	MC21-00301	Commercial	06/10/2021	Under Review
Tree Removal	7155 Brandon Mill Rd Sandy Springs, GA 30328	TR21-00351	Tree Removal	06/10/2021	Issued
Tree Removal	230 Cameron Ridge Dr Sandy Springs, GA 30328	TR21-00350	Tree Removal	06/10/2021	Issued
Building Residential	6145 Mountain Brook Way Sandy Springs, GA 30328	BR21-00459	Addition and Alteration	06/11/2021	Under Review
Tree Removal	280 Sandy Springs Cir Sandy Springs, GA 30328	TR21-00354	Tree Removal	06/11/2021	Issued
Tree Removal	6395 Black Water Trl Sandy Springs, GA 30328	TR21-00356	Tree Removal	06/11/2021	Issued
Building Residential	6015 Black Water Trl Sandy Springs, GA 30328	BR21-00460	Addition and Alteration	06/11/2021	Under Review

Council District 4

Building Residential	6585 Beacon Dr Sandy Springs, GA 30328	BR21-00451	Single Family Attached	06/10/2021	Under Review
Building Residential	6587 Beacon Dr Sandy Springs, GA 30328	BR21-00452	Single Family Attached	06/10/2021	Under Review
Building Residential	6589 Beacon Dr Sandy Springs, GA 30328	BR21-00453	Single Family Attached	06/10/2021	Under Review
Building Residential	540 Carriage Dr Sandy Springs, GA 30328	BR21-00457	Addition and Alteration	06/11/2021	Under Review

Council District 5

Building Residential	215 Morgan Farm Dr Sandy Springs, GA 30342	BR21-00442	Interior Alterations	06/07/2021	Under Review
Building Residential	5855 Brookgreen Rd Sandy Springs, GA 30328	BR21-00443	Interior Alterations	06/07/2021	Under Review
Tree Removal	5164 Timber S Trl Sandy Springs, GA 30342	TR21-00341	Tree Removal	06/08/2021	Issued
Special Event	4889 Northland Dr Sandy Springs, GA 30342	SE21-00027	Festival/Event	06/08/2021	Under Review
Building Commercial	960 Johnson Ferry Ne Rd Sandy Springs, GA 30342	BC21-00240	Interior Finish	06/08/2021	Under Review
Tree Removal	430 Pine Forest Rd Sandy Springs, GA 30342	TR21-00343	Tree Removal	06/08/2021	Issued
Tree Removal	250 Beachland Dr Sandy Springs, GA 30342	TR21-00349	Tree Removal	06/09/2021	Issued
Building Residential	444 Carolwood Ln Sandy Springs, GA 30342	BR21-00454	Interior Alterations	06/10/2021	Under Review
Building Residential	530 Belada Blvd Sandy Springs, GA 30342	BR21-00455	Single Family Detached	06/10/2021	Under Review
Tree Removal	515 Forest Valley Rd Sandy Springs, GA 30342	TR21-00353	Tree Removal	06/11/2021	Issued

Pool	520 Belada Blvd Sandy Springs, GA 30342	Pool21-00077	Private Outdoor	06/11/2021	Under Review
Tree Removal	355 Forest Hills Dr Sandy Springs, GA 30342	TR21-00355	Tree Removal	06/11/2021	Issued
Tree Removal	355 Craighead Dr Sandy Springs, GA 30319	TR21-00358	Tree Removal	06/11/2021	Issued
Tree Removal	5200 Timber S Trl Sandy Springs, GA 30342	TR21-00361	Tree Removal	06/11/2021	Issued

Council District 6

Tree Removal	1005 Old Powers Ferry Rd Sandy Springs, GA 30327	TR21-00336	Tree Removal	06/07/2021	Under Review
Tree Removal	265 Forrest Lake Dr Sandy Springs, GA 30327	TR21-00337	Tree Removal	06/07/2021	Issued
Tree Removal	5270 Woodridge Forest Trl Sandy Springs, GA 30327	TR21-00344	Tree Removal	06/09/2021	Issued
Tree Removal	55 Stewart Dr Sandy Springs, GA 30342	TR21-00345	Tree Removal	06/09/2021	Issued
Tree Removal	4715 Kitty Hawk Dr Sandy Springs, GA 30342	TR21-00346	Tree Removal	06/09/2021	Issued
Special Event	981 Davis Dr Sandy Springs, GA 30327	SE21-00028	Festival/Event	06/09/2021	Under Review
Fence	5025 Lake Forrest Dr Sandy Springs, GA 30342	Fn21-00351	Residential Site	06/09/2021	Issued
Building Residential	5045 Rebel Trl Sandy Springs, GA 30327	BR21-00456	Interior Alterations	06/10/2021	Under Review
Building Residential	905 Powers Ct Sandy Springs, GA 30327	BR21-00458	Addition and Alteration	06/11/2021	Under Review
Tree Removal	155 Stewart Dr Sandy Springs, GA 30342	TR21-00352	Tree Removal	06/11/2021	Issued
Tree Removal	5565 Glen Errol Rd Sandy Springs, GA 30327	TR21-00357	Tree Removal	06/11/2021	Issued
Tree Removal	125 Silverwood Rd Sandy Springs, GA 30342	TR21-00360	Tree Removal	06/11/2021	Issued

PUBLIC SAFETY

SSPD

North District

- The District reported three *entering-auto* incidents
- Three burglaries were reported
- One robbery was reported
- Miscellaneous
 - A federally wanted person was barricaded inside an apartment which prompted a SWAT activation

South District

- The District reported five *entering-auto* incidents

North Metro SWAT Activations

- Sandy Springs- The team was activated after a wanted suspect shot at US Marshal Deputies while they attempted to serve the arrest warrant. The suspect barricaded himself while SWAT and negotiators tried to reason with him. The incident ended when the suspect committed suicide.

Street Crimes Unit (SCU)

- The Unit reported one felony arrest, two misdemeanor arrests, two City Ordinance arrests, 16 traffic stops, 18 traffic citations issued, four wanted persons located, two field contacts, one suspicious person / vehicles, one drug complaint, eight arrest warrants, three search warrants, 30 surveillance hours, 38 hours assisting other Units, and ten hours assisting other Agencies

Traffic Unit

- The Unit reported seven misdemeanor arrests, 90 traffic stops, 108 citations issued, 11 hours addressing traffic complaints consisting of nine different locations, one knock and talk investigation, one search warrant, 11 hit and run cases assigned, six cleared cases, 31 hours assisting other Units, 16 hours assisting other Agencies, one DUI arrest, two motor vehicle crash investigations, and 42 Calls for Service.
- The Unit conducted a night time enforcement detail resulting in the following:
 - Five arrests
 - 96 traffic citations
 - One of those for speeding in excess of 100 mph
 - Highest speed was 102 mph

TRV

- The Unit reported seven traffic stops, 11 citations issued, two motor vehicle crash investigations, 34 patrol assists, six flat tire assists, nine fuel assists, 43 calls for service, four jump start assists, and five hours assisting other Units.

K-9 Unit

- The Unit reported one City Ordinance arrest, 17 traffic stops, 16 traffic citations, two wanted persons located, five K-9 searches (things), three drug complaints, two knock and talks investigations, four surveillance hours, one search warrants, five K-9 deployments, one hour addressing traffic complaints, 27 hours assisting other Units, and 23 hours assisting other Agencies.

Bike Patrol Unit

- The Unit issued one traffic citation, two field contacts, and made two arrests
- Assisted with a concert at City Springs
- Provided Officer presence at the Farmers Market

Volunteers

- The Citizens on Patrol Unit reported 180.5 work hours composed of 19 shifts this past week. Additionally, the Unit conducted three house checks, 51 business checks, and issued three handicap-parking citations.

Total Alarms: 20; False Alarms: 19; Calls for Service: 1,920; Citizen Initiated: 810; Officer Initiated: 1,110; Accidents: 123

SSFD

OPERATIONS

- Responded to 301 calls: Two Fires, 95 EMS, 35 Service, 137 Good Intent, 21 False Alarms
- Units responded to reports of a vehicle fire in the 1000 block of Johnson Ferry Road. Crew arrived to find three cars on fire on the third floor of a parking deck with heavy black smoke. Personnel stretched a 1.75" hose line for fire control. Crewmembers successfully extinguished the fire and requested a fire investigator to examine the fire.
- Units responded to reports of a possible structure fire with reported wires arcing in the 5500 block of Glenridge Drive. Upon arrival, the resident stated the furnace was smoking and there were sparks coming from the water heater. Personnel found an air conditioner unit frozen with scorch marks on the ice. Crewmembers were unable to locate the source of the sparks. Crew found no elevated temperatures of the surrounding areas with the thermal imaging camera. The water heater was located behind the door of a bedroom immediately on the left upon entry. Personnel witnessed no sparks from the water heater however water from the air conditioning unit appeared to be leaking down onto the water heater. Crew shut down power to the unit and found no elevated temperatures with the thermal imaging camera. No smoking or arcing found on scene. Personnel contacted building maintenance for emergency repairs.
- Units responded reports of a car striking a building in the 900 block of Crestline Parkway. On scene crewmembers found a pillar to the front hotel lobby had been struck. The vehicle had left the scene. No injuries were reported. Personnel wrapped the outside lobby area in caution tape and locked the doors to the lobby. Crew advised guests advised to use a side entrance for the hotel. Crewmembers requested a Sandy Springs structural engineer to assess the damage.

INSPECTIONS

There were 167 inspections conducted with 15 violations cited.