

City of Sandy Springs

WEEK IN REVIEW

UPCOMING MEETINGS

September 14 6 PM	Diversity and Inclusion Task Force Meeting City Hall— http://spr.gs/DITaskForceMeeting
September 21 6 PM	City Council Meeting City Hall— http://spr.gs/mcc3
September 22 6 PM	Planning Commission Meeting City Hall— https://spr.gs/2021pc

COMMUNITY EVENTS

September 11 8:30 AM – 12 PM	Sandy Springs Farmers Market: Kids Day City Green
September 12 7:30 PM	Concerts by the Springs: Hot Licks & Rhetoric Heritage Amphitheatre

CUSTOMER SERVICE AND COMMUNITY ENGAGEMENT

CALL CENTER

Total calls last week: 1,135

Average handle time: 154.4 seconds

Average speed of answer: 36.0 seconds

ECONOMIC DEVELOPMENT & THE NORTH END

RECRUITMENT MEETINGS

- RFI for large expansion project

PARTNERSHIP MEETINGS

- Three partner networking meetings
- North Fulton Advisory update

SUSTAINABLE GROWTH & ENVIRONMENTAL STEWARDSHIP

SUSTAINABILITY

- Sustainability Staff is responding to the GA Environmental Protection Division's questions about scope for the Nancy Creek restoration at Windsor Meadows Park project (319 Grant).
- Staff is preparing for a presentation at the Intersections Research Conference: Communities with a Kennesaw State University professor of architecture
- Staff attended a progress meeting on the Colewood Creek green infrastructure study.

STORMWATER

- 28 active projects: 4 in design, 3 in contract development, 6 in easement acquisition, 2 in technical review, 3 in scope development, and the remaining pending final invoice or inspection.
- 9 new stormwater work requests received.

Stormwater Project	Current Phase	Status	Upcoming
70 Seville Chase	Construction	Progressing. Lining of storm pipes for northern portion of project completed. Portions of site completed and fully stabilized.	Review progressing to adjust final structures due to changed field conditions.
4878 Long Island Drive	Construction	Driveway reconstruction completed. Project substantially completed.	Punch list items planned for 9/18 completion date.
821 Tanglewood Trail Rehabilitation	Construction	Project near substantial completion.	Replace non-conforming items.
5690 Lake Forrest Drive	Construction	Grouting completed. Additional pressure grouting completed.	Awaiting results of field tests planned for week of
980 Crest Valley Drive	Bid Phase	Construction plans completed and permitted. Construction rebid published.	Construction planned for Fall 2021
140 Landsdowne Drive	Final Design	Final design completed. Utility permit approved. Land disturbance permit approved.	Construction bidding. Construction planned for Fall 2021
395 Otter Creek Court	Construction	Contract awarded. Construction to rehabilitate the stormwater pipe and headwall completed.	Punch list ongoing.
7236 Thornhill Lane	Engineering Study	Contract awarded. Hydrologic and hydraulic report submitted 8/2/21. Preliminary engineering study review completed.	Alternatives analysis underway.

RECREATIONAL & CULTURAL ENRICHMENT

RECREATION AND PARKS PROJECTS

- Hammond Park erosion control project, contractor has concluded the major elements of the project. After change order approval, additional work will be done on the slate trails and step pools areas.
- Georgia Power is scheduled to replace a transformer for the tennis court lights at Hammond Park. The associated outage has been partly responsible for several courts to be without lights.
- The Hammond Park turf replacement and drainage pad installation is substantially complete. A punchlist walk through on September 7 revealed a few minor conditions needing repair. The field drains as required.
- Landscaping work on the Ison Springs Elementary IGA Improvements project completed this week. Remaining elements include the installation of 3 shade structures next week and a pavilion in November.

RECREATION AND PARKS LANDSCAPING

- Ison Springs Elementary Native Grass and Pollinator Garden completed this week.
- Hammond Park pine straw installed on Glenridge Drive side.
- Lost Corner mulch installed.
- Overlook Park mulch installed.
- Windsor Meadows mulch Installed.
- Sandy Springs Charter Middle School soil sample results came in and staff adding necessary fertilizers.
- Installed a quick fix at Overlook to control silt near playground.
- Removed Stump at Sandy Springs Art Center.
- Met with contractor at Northwood property about mowing.

RECREATION AND PARKS MAINTENANCE

- Park staff installed all signs for Hammond turf field rules and regulations.
- Park staff installed photocell at Lost Corner for parking and walkway lights. (Facilities)
- Park staff repaired playground swings at Overlook park
- Park staff repaired spilt rail fence at Overlook

RECREATION AND PARKS FACILITY RESERVATIONS

- Indoor: 1 Pavilion: 11 Turf: 9 Tennis: 106

RECREATION AND PARKS PROGRAMMING

- Youth Basketball league participated in the district basketball tryouts at Spalding Elementary this week.
- Program staff planning fall programs.
- Program staff planning Paws and Pastries event including dog costume contest.
- Program staff working with Friends of Lost Corner regarding Fall programming.
- Program staff participated in meeting with communications regarding marketing options.
- Program staff working on COVID protocols for Gymnastics program.
- Program staff continue to review applications and schedule interviews for Recreation Aide and Naturalist positions.

CREATE CITY SPRINGS

- Number of Events, Performances and Rehearsals: 16
 - Council Candidate Orientation 8/31
 - SSFD CPR Training 8/31
 - City Springs Theater Company Production Load-In 9/1-9/7
 - Sandy Springs Garden Club Monthly Meeting Heritage Hall 9/1
 - Farmers Market 9/4
 - Rosh Hashanah in the Park Heritage Amphitheater 9/7
- Number of Event Inquiries: 36 (24 via email and 12 via phone)
- September 4 Farmers Market – Total vendors: 36.
 - Farmers: 6 selling produce, seafood, and beef
 - Prepared Foods: 18 including 10 with products that could be consumed on-site.
 - Crafts/Artisans: 12
- CityBar: As part of our participation in the “Food That Rocks” event later this month, FOX 5 was on-site on Wednesday 9.1 to do an interview with our Executive Chef, Heath Miles. This was a great opportunity for us to showcase our culinary talent and promote CityBar’s food and drink services.
- Sony Pictures performed a Tech Scout with 40 crew members that included directors, lighting engineers, and special effects personnel to see the Byers Theater, Studio Theater, Kitchen, and Conference Level hallways.

Date	Upcoming Event	Special Notes
September 11	Farmers Market	Kids Day at the Market, SSFD and SSPD On-Site for 9/11 Tribute
September 12	Concerts by the Springs	Hot Licks and Rhetoric close out the summer series
September 14	Outdoor Fitness Class Series	HEAL Fitness at Heritage to benefit Solidarity Sandy Springs
October 23	Spooky Springs	Planning Underway
TBA	Sparkle Sandy Springs	Float Application Available Online

TRANSPORTATION ACCESSIBILITY & COMMUNITY APPEARANCE

- The City maintains a Road Work Advisory page with updates on all planned lane and road closures and advisories. You can receive weekly traffic updates and emergency traffic alerts via email or text by signing up for Sandy Springs Alerts.

TSPLOST PROGRAM

Project Name	Current Phase	Status	Upcoming
TS-105 Roswell Road at Grogan’s Ferry Road Intersection Improvement	Construction	Georgia Power overhead relocations complete. Gas, AT&T and Comcast relocations ongoing. Grading and storm drain work underway. Wall construction underway.	Storm drain installation.
TS-106 Northside Drive at Riverview/Old Powers Ferry	Final Design/Right of Way	Right of way acquisition underway. Final plans complete. Overhead utility relocation coordination ongoing.	Complete right of way acquisition

TRANSPORTATION ACCESSIBILITY & COMMUNITY APPEARANCE

TSPLOST PROGRAM

Project Name	Current Phase	Status	Upcoming
TS-111 Spalding Drive at Pitts	Final Design/ Right of Way	Right-of-way acquisition efforts beginning with staking completed. Utility coordination and final plan production ongoing.	Complete final plans
TS-191 Mt. Vernon at Johnson Ferry	Final Design/ Right of Way/ Utilities	Right-of-way appraisals underway. Georgia Power Company (GPC) Distribution Overhead to Underground and Transmission Line Relocation Design underway. GPC Transmission completing subsurface utility report for relocations.	GPC Transmission Pole Relocation Design. GPC Distribution Aerial-to-Underground Design. Right-of-Way Staking planned for 3 rd week of September.
TS-192 Mt. Vernon Highway	Final Design/ Right of Way/ Utilities	Right-of-way acquisitions, re-staking, and draft renderings completed. Final plan production ongoing. PCID Agreement for Right-of-way and Construction in coordination.	Complete PCID Agreement.
T-0060 SR 400 Multi-Use Path	Final Design/ Right of Way/ Utilities	Right-of-way acquisition underway. Bridge Foundation Investigation reports complete and sent to GDOT. Wall Foundation Investigation in progress. Utility coordination underway.	Right of Way appraisals.
T-0067 Mt. Vernon Highway - Dupree	Bid and Award	Construction award approved in August 17, 2021 Council Meeting.	Construction NTP planned September 2021.
T-0069 Peachtree Dunwoody at Windsor Parkway	Final Design/ Right of Way	Right-of-way acquisition complete and overhead utility relocations are complete. Final plan review complete.	Bid for construction in September 2021.

CAPITAL IMPROVEMENT PROGRAM (CIP)

Project Name	Current Phase	Status	Upcoming
T-0019 Roswell Road Streetscapes (East City Limit to I 285. West City Limit to Long Island)	Concept Development	Field survey work underway.	Survey to be completed in Fall 2021 with concept design work beginning.
T-0033-7 CDBG Sidewalks Roswell Road Streetscape Phase 1 - Long Island Dr. to Wentworth	Construction	Sidewalk construction is near completion with work underway north of the intersection of West Belle Isle Drive and Roswell Road.	Additional construction from Stewart to Wentworth beginning September 2021. Georgia Power lighting installation beginning.
T-0033-7 CDBG Roswell Road Streetscape Phase 2 - Lake Placid to Northwood	Right of Way Utility	Currently in right of way acquisition and utility coordination.	Construction bidding planned for late 2021.
T-0035 Roswell Road Bicycle/ Pedestrian Bridge over Chattahoochee River (City of Roswell)	Right of Way Utility	Entering right of way acquisition phase.	Construction Let planned for Fall 2022.

CAPITAL IMPROVEMENT PROGRAM (CIP)

Project Name	Current Phase	Status	Upcoming
T-0043 Glenridge Drive @ Roswell Road (GDOT)	Construction	Water line relocations completed. Final utility adjustments in coordination to resume shoulder work on Roswell Road.	Wall and road shoulder construction on Roswell Road. Construction scheduled for completion late 2021.
T-0058-1 Boylston Drive Streetscape and Hammond	Preliminary Design	Preliminary design work underway.	Right-of-way acquisitions planned to begin Spring 2022.
T-0064 Peachtree Dunwoody at Telford Roadway	Final Design/Utility	Construction contract awarded.	Construction to begin September 2021 with 11-month duration.
CC-0010 Sandy Springs Circle Streetscape Hammond to Mt. Vernon Hwy (GDOT)	Construction	Construction underway. Lane shifts and ongoing lane closures are in use along Sandy Springs Circle. Wall construction underway.	Completion scheduled for October 2021 with roadway paving late September.
T-0071 Roswell Road North End Boulevard Scoping Study	Study	The City has selected a consultant and is initiating the Scoping Study.	Undertake data collection and existing conditions assessment.
TS-166 Spalding Drive Widening and Sidewalk Project (Gwinnett County)	Construction	Roadway and bridge construction underway.	Bridge deck work to replace existing bridge for northern half.
TS-167 Brandon Mill Sidewalk from Marsh Creek to Lost Forest Drive	Construction	A new construction contract to complete the sidewalk project awarded. Contractor currently installing sidewalk and driveway aprons.	Driveway and sidewalk installation work continue. Wall construction upcoming.
TS-168 Dalrymple Road Sidewalk (Princeton Way to Duncourtney Dr.)	Right of Way Utility	Design with utility coordination underway.	Right of Way acquisition Fall 2021. Construction bidding Winter 2021.
TS-169 Dunwoody Club Drive Sidewalk from Spalding Drive to Fenimore Circle	Construction	Construction contract awarded.	Contractor NTP planned September 2021. Construction duration of six months.
TS-170 Interstate North Parkway Multi-use Path (Northside Drive to the Chattahoochee River Bridge)	Construction	Construction contract awarded.	Contractor NTP planned September 2021. Construction duration of eight months.
TS-171 Roberts Drive Sidewalk near Northridge Road	Construction	Construction near completion.	Completed July 2021 with Fall 2021 planting/landscaping to finish.
TS-172 Brandon Mill Road Sidewalk (Lost Forrest Drive to Brandon Ridge Drive)	Right of Way Utility	Preliminary Design complete and beginning right of way.	Right of Way acquisition. Construction planned to begin early 2022.
GA 400 Bridge Enhancements (Roberts Drive, Pitts Road, Spalding Drive)	GDOT Agreement In Place	Intergovernmental Agreement (IGA) reached with Georgia Department of Transportation (GDOT)	Funding to be sent to GDOT first quarter 2022.
I-285 Bridge Enhancements (Mt. Vernon Hwy Bridge)	GDOT Agreement In Review	Proposed Memorandum of Understanding (MOU) from Georgia Department of Transportation (GDOT) under review by City Staff	Complete study and agreements with GDOT.

TRANSPORTATION/TRAFFIC

Project Name	Current Phase	Status	Upcoming
T-0066 (PI 0016615) State Route (SR) 140/Holcomb Bridge Road at Spalding	Design	Undertaking final project design.	Complete final design and begin right-of-way activities.
T-0070 Access Management Study	Planning	The City has selected a consultant and is initiating the project.	Undertake data collection and existing conditions assessment.
T2205 North End Roadway Safety Analysis	Procurement	The procurement period opened June 23 and closed on July 26.	Complete proposal review and award project.
T2205 Abernathy at Roswell Road/SR 9 Safety Project	Study/Design	GDOT awarded a contract to construct the first group of safety projects: signalize westbound Abernathy Rd to northbound Roswell Rd right turn, reduce length of median nose on east leg; and restripe northwest corner. Construction estimated November-January. The project team is also reviewing long-range alternatives.	Construct short-term safety projects under GDOT procurement. GDOT is reviewing Quick Response submittal #2 which includes simplifying the southbound overhead signage and installing a barrier separation between the southbound through and left-turn lanes. Complete long-range technical analysis.
T2205 Mt. Vernon Highway at Long Island Drive Evaluation	Concept Study	Reviewing concepts for potential intersection improvement.	Finalize study.
T2205 Roswell Rd/SR 9 at Fulton Government Ctr. Mid-Block Crossing	Design	Consultant has completed the SUE investigation and is completing the site survey which is targeted for completion by the week of September 20.	Complete project database and site survey.
T2206 Georgia Smart Communities Transit Signal Priority Pilot Project	Study	Prepare Transit Signal Priority Implementation Plan.	Participate in Georgia Smart final presentation on September 9, 2021.
T2206 Upgrade Vehicle Approach Warning Flashers	Construction	Completing replacement of VAWF at 7 locations.	Complete project.
T2207 Traffic Calming	Study	Preparing evaluations or treatment plans for Wyndham Hills, Glenridge-Hammond, and Allen Road. Initiating review for Spruell Springs and Breakwater Ridge.	Continue neighborhood coordination.

FIELD SERVICES

- Pavement Maintenance:
 - FY2020 and FY2021 work is substantially complete.
 - FY2022 Resurfacing Project currently in bidding.
- T-3000 Deep Mill Repair Project work began week of September 7, 2021.
- T-4000 City Beautification: Johnson Ferry Landscape Enhancement project contract issued and pre-construction meeting held. Contractor to begin work in September in conjunction with planting season.
- T-7500 Guardrail Replacement Program:
 - Three sites under review by GDOT for replacement through Off System Safety Funds.
 - Design underway for 20 sites throughout the City with design completion scheduled for August.
 - Concept design completed for all 20 sites. First set of plans for 10 locations delivered July 16.
 - Consultant to give 8 locations that require no ROW acquisition/ gravity walls

- T-9100 FY2021 Bridge Maintenance:
 - Phase I project approved for award, Contract/PO issued, scheduling pre-construction meeting.
- Right of Way Maintenance
 - Mowing on I-285 and Ga SR 400 underway.
 - Mowing on City primary and secondary routes underway for this growing season.
 - Citywide Right-of-Way litter removal services exhibiting need for improvement in some areas.
 - Street sweeping: Underway with most work performed in the evenings.
 - Blount street maintenance to begin sidewalk repairs beginning September 1, 2021.
- Utilities
 - 14 Utility Permits were received
 - 4- Permits were issued
 - 27- Active Large jobs (24 permits) (Fulton Co.: 4, Verizon: 15, City of Atlanta Water: 4, AGL: 2, AT&T: 1 Other: 1 (Mystic Drive Sewer Project))
 - 3- Completed
- City of Atlanta Water
 - 13- Active water leaks
 - 42 – Outstanding Restorations
- Street Lighting
 - 1 requests for new street lights were received.

Community Appearance Weekly Inspection Report 9/2/21				
ROADWAY	LITTER	MOWING	SWEEPING	NOTES
Roswell Road				
North of Abernathy	B	In Progress	N/A	Clippings on sidewalk from Abernathy to Dalrymple (blower broke). Scattered litter.
South of Abernathy	B	In Progress	N/A	Litter South of I-285
Northridge	A-	A-	N/A	High grass at Dunwoody Place. Sign at Chevron at Roswell Rd.
Dunwoody Place	B	A-	N/A	Litter at BP at Roswell Rd and Legacy Apts. Blow off all sidewalks regardless of cutting.
Abernathy	B	A-	N/A	High grass at Huey Luey shopping center and SR 400. Light litter.
Sandy Springs Circle	A-	B	N/A	Blow off all sidewalks regardless of cutting (both sides). Light litter.
Johnson Ferry	A	A	N/A	Very light litter. Blow pine straw off of sidewalks.
I-285				
Eastbound	C	N/A		Pick up litter at the river. Northside has a lot of debris. Litter near Mt. Vernon bridge.
Westbound	C	N/A		Debris exiting Roswell Rd onto I-285. Debris at Northside Dr.
GA-400				
North of I-285	D	Not Done		Debris at I-285. Debris around Marta area going North. Blow straw piles off shoulder. Litter north of Northridge.
South of I-285	D	Not Done		Lots of litter in North part. Litter in concrete flume both sides.

AFTER HOURS CALLS

- 8/30/21 – Report of signal in flash at Nesbit Ferry and Spalding. Signal contractor responded, reset signal.
- 8/31/21 – Report of signal in flash at Roswell Road and Pitts Road. Signal contractor responded, reset signal.
- 9/1/21 - Report of signal in flash at Roswell Road and Pitts Road. Signal contractor responded, reset signal.
- 9/4/21– Report of signal outage at Sandy Springs Circle at Galambos Way. Signal contractor responded, reset signal.

TRAFFIC SERVICES

- Signals / Lights
 - 5 – Traffic Signal Bulb Out
 - 7 – Maintenance – Cabinet
 - 4 – Maintenance – Poles and Field Wiring
 - 7 – Traffic Signal on Flash
 - 1 – Fiber Locate
- Signs
 - 2 – Sign Down
 - 2 – Request for New Sign
 - 2 – Replace Sign
 - 1 – Remove Sign and/or Post
 - 2 – Sign Visibility
 - 1 – Emergency Event/Special Event
 - 1 – Sight Distance

FIELD SERVICES: 23 – Service requests were received and 23 service requests/work orders completed

- 1 – Dead Animal
- 2 – Litter in Right of Way
- 2 – Potholes
- 3 – Resurfacing/Cracks
- 1 – Sidewalk/Curb/Gutters
- 7 – Tree Removal
- 7 – Trim/Vegetation

CODE ENFORCEMENT

- Citations: 2
- Complaints: 24
- Inspections: 120
- Notices of Violation: 12
- Resolutions: 10
- Signs: 9
- Short Term Rentals: 1
- Open Records Requests: 1

ADMINISTRATIVE EFFORTS

- The Code Enforcement Administrative Assistant handled approximately 68 public code and land complaints.
- No Alcohol license applications were reviewed.
- Two Special Event applications were reviewed.

PLANNING AND ZONING

- Fence Permits (issued): 5
- Zoning Certification Letters issued: 3
- Business Licenses processed and reviewed: 10
- Inquiries handled by Planner of the Day: 30
- Building application plans reviewed: 42

BUILDING AND LAND DEVELOPMENT

- Site Inspections: 96
- Building Inspections: 159
- Total Permits processed during the reporting period (received and issued): 233
- Total Customers Served Remotely: 125 emails and 77 phone calls

MAJOR COMMERCIAL BUILDING PROJECTS

- There were no major commercial building projects

Case Number	Case Type	Case Status	Case Address	Open Date	District
TRSH-004823-2021	Trash/Debris	Closed	100 GREYFIELD LN Sandy Springs, GA 30350	8/30/2021	1
GRA-004837-2021	Grass and Weeds	New Complaint	7410 STONEYKIRK CLOS Sandy Springs, GA 30350	9/1/2021	1
PM-004826-2021	Property Maintenance	Active	5515 WING ST Sandy Springs, GA 30350	8/30/2021	2
MISC-004827-2021	Miscellaneous	Active	1080 HUNTCLIFF Atlanta, GA 30350	8/31/2021	2
PM-004830-2021	Property Maintenance	Active	330 WINDING RIVER G DR Sandy Springs, GA 30350	8/31/2021	2
PRK-004831-2021	Parking	Unfounded	610 TOWERGATE PL Sandy Springs, GA 30350	8/31/2021	2
WWP-004832-2021	Work Without a Permit	Active	N 185 MILL RD Sandy Springs, GA 30328	9/1/2021	3
MISC-004833-2021	Miscellaneous	Closed	325 BREAKWATER RDG Sandy Springs, GA 30328	9/1/2021	3
PM-004835-2021	Property Maintenance	Active	6101 BOYLSTON DR Sandy Springs, GA 30328	9/1/2021	3
PM-004842-2021	Property Maintenance	Active	703 CIMARRON PKWY Atlanta, GA 30350	8/3/2021	3
SIGN-004820-2021	Sign	Active	6135 ROSWELL B RD Sandy Springs, GA 30328	8/30/2021	3
WWP-004824-2021	Work Without a Permit	Transferred	5840 ROSWELL RD Sandy Springs, GA 30328	8/30/2021	3
JV-004825-2021	Junk Vehicle	Closed	230 SEAMARSH CT Sandy Springs, GA 30328	8/30/2021	3
BL202101872	Business License	Voluntary Compliance	5840 ROSWELL RD Sandy Springs, GA 30328	8/30/2021	3
PRK-004822-2021	Parking	Active	550 HIGH POINT LN Sandy Springs, GA 30342	8/30/2021	5
PM-004838-2021	Property Maintenance	Active	5501 GLENRIDGE 901 DR Sandy Springs, GA 30342	9/2/2021	5
WWP-004839-2021	Work Without a Permit	New Complaint	W 5265 KINGSTON CT Sandy Springs, GA 30342	9/2/2021	5
PM-004840-2021	Property Maintenance	New Complaint	4799 NORTHSIDE DR Sandy Springs, GA 30327	9/2/2021	6
PM-004841-2021	Property Maintenance	New Complaint	800 LAKE PLACID DR Sandy Springs, GA 30342	9/3/2021	6
WWP-004821-2021	Work Without a Permit	Closed	5365 MOUNT VERNON PKWY Sandy Springs, GA 30327	8/30/2021	6
PM-004828-2021	Property Maintenance	Active	5718 TAYLOR WAY Sandy Springs, GA 30342	8/31/2021	6
WWP-004834-2021	Work Without a Permit	Active	4708 ROSWELL RD Atlanta, GA 30342	9/1/2021	6
SIGN-004829-2021	Sign	Voluntary Compliance	5188 ROSWELL RD Sandy Springs, GA 30342	8/31/2021	6

PERMITS SUBMITTED AND ISSUED

- **COMMERCIAL BUILDING PERMITS SUBMITTED (10 TOTAL):** Five Interior Finishes, Three Additions and Alterations, One Updated Antennas and One New Parking Lot
- **COMMERCIAL BUILDING PERMITS ISSUED (Nine TOTAL):** Five Interior Finishes, Two Additions and Alterations, One New Multifamily and One Roof
- **RESIDENTIAL BUILDING PERMITS SUBMITTED (29 TOTAL):** Eight Additions and Alterations, Seven Single Family Detached, Six Single Family Attached, Six Interior Alterations and Two Generators
- **RESIDENTIAL BUILDING PERMITS ISSUED (26 TOTAL):** 11 Single Family Attached, Seven Additions and Alterations, Five Interior Alterations, Two Single Family Detached, One Accessory Structure
- **MAJOR LDP's SUBMITTED & ISSUED FOR REVIEW OR ISSUED (0 TOTAL)**

ENFORCEMENT EFFORTS

606 Willow Heights Drive	A Notice of Violation was issued for an accumulation of garbage. The compliance date was August 30, 2021.
100 Greyfield Lane	A Notice of Violation was issued for an accumulation of garbage. The compliance date was September 01, 2021.
7405 StoneyKirk Close	A Notice of Violation was issued for high weeds and grass. The compliance date was September 9, 2021.
5188 Roswell Road	A Notice of Violation was issued for illegal signage. The compliance date was September 2, 2021.
4708 Roswell Road	A Notice of Violation and a Stop Work Order was issued.
6135 Roswell Road	A Notice of Violation was issued for illegal signage. The compliance date was immediate.
6125 Roswell Road	A Notice of Violation was issued for noise. The compliance date was immediate.
5515 Wing Street	A Notice of Violation was issued for vacant structure and land. The compliance date is September 10, 2021.
1080 Huntcliff	A Notice of Violation was issued for conditions harmful to health. The compliance date is September 24, 2021.
230 Seamarsh Court	A Notice of Violation was issued for a junk vehicle. The compliance date is September 10, 2021.
520 Towergate Place	A Citation was issued for an accumulation of garbage and rubbish. The court date is October 08, 2021.
330 Winding River Drive	A Notice of Violation was issued for an insect infestation. The compliance date was September 07, 2021.
6101 Boylston Drive	A Notice of Violation was issued for roofs and drainage. The compliance date is September 24, 2021.
185 North Mill Road	A Stop Work Order was issued for construction without a permit.
550 High Point Lane	A Citation was issued for parking. The court date is September 27, 2021.

PERMITS APPLIED FOR—08/30/21 THROUGH 09/03/21 (Excludes Trade Permits)

Council District 1

Tree Removal	8360 Valley Tarn Sandy Springs, GA 30350	TR21-00547	Tree Removal	08/31/2021	Issued
Mechanical	630 Spindlewick Dr Sandy Springs, GA 30350	MC21-00493	Residential	08/31/2021	Under Review
Building Residential	1860 Brandon Hall Dr Sandy Springs, GA 30350	BR21-00660	Addition and Alteration	08/31/2021	Under Review
Pool	7780 Stratford Ln Sandy Springs, GA 30350	Pool21-00109	Private Outdoor	08/31/2021	Under Review
Special Event	1225 Spalding Dr Sandy Springs, GA 30350	SE21-00041	Festival/Event	08/31/2021	Issued
Building Residential	8160 Jett Ferry Rd Sandy Springs, GA 30350	BR21-00663	Addition and Altera- tion	09/01/2021	Under Review
Tree Removal	7980 Spalding Hls Sandy Springs, GA 30350	TR21-00551	Tree Removal	09/01/2021	Issued
Building Residential	8435 Lazy Oaks Ct Sandy Springs, GA 30350	BR21-00666	Interior Alterations	09/01/2021	Under Review
Building Residential	435 Verdi Ln Sandy Springs, GA 30350	BR21-00668	Addition and Alteration	09/02/2021	Under Review
Special Event	8200 Roberts Dr Sandy Springs, GA 30350	SE21-00043	Festival/Event	09/02/2021	Under Review
Tree Removal	9055 Carroll Manor Dr Sandy Springs, GA 30350	TR21-00554	Tree Removal	09/03/2021	Issued
Mechanical	8155 Habersham Waters Rd Sandy Springs, GA 30350	MC21-00501	Residential	09/03/2021	Under Review

PERMITS APPLIED FOR—08/09/21 THROUGH 08/13/21 (Excludes Trade Permits)

Council District 1

Tree Removal	2145 Clay Dr Sandy Springs, GA 30350	TR21-00555	Tree Removal	09/03/2021	Issued
Sign	1425 Spalding Dr Sandy Springs, GA 30350	SG21-00413	Temporary	09/03/2021	Under Review

Council District 2

Building Residential	120 Nezhat Pl Sandy Springs, GA 30350	BR21-00646	Single Family Detached	08/30/2021	Under Review
Building Residential	130 Nezhat Pl Sandy Springs, GA 30350	BR21-00647	Single Family Detached	08/30/2021	Under Review
Retaining Wall	120 Nezhat Pl Sandy Springs, GA 30350	RW21-00197	Residential	08/30/2021	Under Review
Retaining Wall	130 Nezhat Pl Sandy Springs, GA 30350	RW21-00198	Residential	08/30/2021	Under Review
Mechanical	120 Ridgemont Trce Sandy Springs, GA 30350	MC21-00488	Residential	08/30/2021	Under Review
Plumbing	904 Woodcliff Dr Sandy Springs, GA 30350	PL21-00188	Residential	08/30/2021	Under Review
Plumbing	904 Woodcliff Dr Sandy Springs, GA 30350	PL21-00189	Residential	08/30/2021	Under Review
Sign	1180 Hightower Trl Sandy Springs, GA 30350	SG21-00412	Permanent Free Standing	08/30/2021	Under Review
Mechanical	8601 Dunwoody Pl Sandy Springs, GA 30350	MC21-00492	Commercial	08/31/2021	Under Review
Mechanical	210 Old College Way Sandy Springs, GA 30328	MC21-00494	Residential	08/31/2021	Under Review
Building Residential	110 Nezhat Pl Sandy Springs, GA 30350	BR21-00658	Single Family Detached	08/31/2021	Under Review
Retaining Wall	110 Nezhat Pl Sandy Springs, GA 30350	RW21-00200	Residential	08/31/2021	Under Review
Building Residential	100 Nezhat Pl Sandy Springs, GA 30350	BR21-00659	Single Family Detached	08/31/2021	Under Review
Retaining Wall	100 Nezhat Pl Sandy Springs, GA 30350	RW21-00201	Residential	08/31/2021	Under Review
Plumbing	105 Grogans Lndg Sandy Springs, GA 30350	PL21-00192	Residential	09/01/2021	Issued
Tree Removal	85 Cliffcreek Trce Sandy Springs, GA 30350	TR21-00553	Tree Removal	09/02/2021	Issued
Building Commercial	8610 Roswell Rd Sandy Springs, GA 30350	BC21-00412	Interior Finish	09/02/2021	Under Review
Mechanical	9337 Huntcliff Trce Sandy Springs, GA 30350	MC21-00499	Residential	09/02/2021	Under Review
Building Commercial	8885 Roswell Rd Sandy Springs, GA 30350	BC21-00413	Cell Tower	09/02/2021	Under Review
Building Residential	415 Huntcliff Grn Sandy Springs, GA 30350	BR21-00673	Interior Alterations	09/04/2021	Under Review

Council District 3

Building Residential	6690 Riverside Dr Sandy Springs, GA 30328	BR21-00644	Interior Alterations	08/30/2021	Under Review
Building Residential	520 Riverhill Dr Sandy Springs, GA 30328	BR21-00645	Addition and Alteration	08/30/2021	Under Review
Tree Removal	6445 Tanacrest Ct Sandy Springs, GA 30328	TR21-00537	Tree Removal	08/30/2021	Issued

PERMITS APPLIED FOR—08/09/21 THROUGH 08/13/21 (Excludes Trade Permits)

Council District 3

Tree Removal	415 Lost Forest Ct Sandy Springs, GA 30328	TR21-00539	Tree Removal	08/30/2021	Issued
Tree Removal	7000 Faunsworth Dr Sandy Springs, GA 30328	TR21-00540	Tree Removal	08/30/2021	Issued
Mechanical	610 Bridgewater Dr Sandy Springs, GA 30328	MC21-00487	Residential	08/30/2021	Under Review
Tree Removal	910 Lancaster Way Sandy Springs, GA 30328	TR21-00544	Tree Removal	08/30/2021	Issued
Tree Removal	561 Dalrymple Rd Sandy Springs, GA 30328	TR21-00545	Tree Removal	08/30/2021	Issued
Sign	208 Johnson Ferry Ne Rd Sandy Springs, GA 30328	SG21-00410	Permanent Wall Mounted	08/30/2021	Under Review
Mechanical	430 Glencourtney Dr Sandy Springs, GA 30328	MC21-00490	Residential	08/30/2021	Under Review
Sign	5840 Roswell Rd Sandy Springs, GA 30328	SG21-00411	Permanent Wall Mounted	08/30/2021	Under Review
Building Residential	6595 Scott Valley Rd Sandy Springs, GA 30328	BR21-00650	Addition and Alteration	08/30/2021	Incomplete submittal
Plumbing	6900 Roswell Rd Sandy Springs, GA 30328	PL21-00191	Residential	09/01/2021	Under Review
Mechanical	6900 Roswell Rd Sandy Springs, GA 30328	MC21-00495	Residential	09/01/2021	Under Review
Mechanical	7000 Roswell Rd Sandy Springs, GA 30328	MC21-00497	Commercial	09/01/2021	Under Review
Electrical	6110 Barfield Rd Sandy Springs, GA 30328	EL21-00231	Residential	09/01/2021	Under Review
Electrical	6116 Barfield Rd Sandy Springs, GA 30328	EL21-00232	Residential	09/01/2021	Under Review
Tree Removal	6805 Sunny Brook Ln Sandy Springs, GA 30328	TR21-00552	Tree Removal	09/01/2021	Issued
Building Residential	5945 Riverwood Dr Sandy Springs, GA 30328	BR21-00665	Single Family Detached	09/01/2021	Under Review
Special Event	5900 Raider Dr Sandy Springs, GA 30328	SE21-00042	Festival/Event	09/02/2021	Under Review
Building Residential	6725 River Springs Ln Sandy Springs, GA 30328	BR21-00670	Generator	09/02/2021	Under Review
Building Commercial	5920 Roswell Rd Sandy Springs, GA 30328	BC21-00414	New Other	09/02/2021	Under Review
Building Commercial	755 Mount Vernon 430 Hwy Sandy Springs, GA 30328	BC21-00416	Addition and Alteration	09/03/2021	Under Review
Building Residential	6718 Brandon Mill Rd Sandy Springs, GA 30328	BR21-00672	Interior Alterations	09/03/2021	Under Review
Plumbing	5920 Roswell Rd Sandy Springs, GA 30328	PL21-00194	Commercial	09/03/2021	Under Review

Council District 4

Building Residential	6735 Prelude Dr Sandy Springs, GA 30328	BR21-00651	Single Family Attached	08/31/2021	Under Review
Building Residential	6737 Prelude Dr Sandy Springs, GA 30328	BR21-00652	Single Family Attached	08/31/2021	Under Review
Building Residential	6739 Prelude Dr Sandy Springs, GA 30328	BR21-00653	Single Family Attached	08/31/2021	Under Review
Building Residential	6741 Prelude Dr Sandy Springs, GA 30328	BR21-00654	Single Family Attached	08/31/2021	Under Review

PERMITS APPLIED BY DISTRICT 08 – 30 –21 THROUGH 09–03–21**Council District 4**

Building Residential	6743 Prelude Dr Sandy Springs, GA 30328	BR21-00655	Single Family Attached	08/31/2021	Under Review
Building Residential	6745 Prelude Dr Sandy Springs, GA 30328	BR21-00656	Single Family Attached	08/31/2021	Under Review
Building Residential	589 Mabry Rd Sandy Springs, GA 30328	BR21-00657	Interior Alterations	08/31/2021	Under Review
Retaining Wall	6630 Williamson Dr Sandy Springs, GA 30328	RW21-00202	Residential	09/01/2021	Under Review
Mechanical	550 Abernathy Rd Sandy Springs, GA 30328	MC21-00496	Residential	09/01/2021	Under Review
Fence	7309 Twin Branch Rd Sandy Springs, GA 30328	Fn21-00380	Residential General Use	09/01/2021	Under Review
Electrical	7690 Benwell Dr Sandy Springs, GA 30350	EL21-00234	Commercial	09/02/2021	Under Review
Special Event	1 Mercedes-Benz Dr Sandy Springs, GA 30328	SE21-00044	Festival/Event	09/02/2021	Under Review

Council District 5

Mechanical	5058 High Point Rd Sandy Springs, GA 30342	MC21-00486	Residential	08/30/2021	Issued
Tree Removal	760 Registry Ln Sandy Springs, GA 30342	TR21-00538	Tree Removal	08/30/2021	Issued
Tree Removal	E 765 Northway Ln Sandy Springs, GA 30342	TR21-00541	Tree Removal	08/30/2021	Issued
Tree Removal	612 Windsor Pkwy Sandy Springs, GA 30342	TR21-00543	Tree Removal	08/30/2021	Issued
Building Commercial	5909 Peachtree Dunwoody 800 Sandy Springs, GA 30328	BC21-00406	Interior Finish	08/30/2021	Under Review
Building Commercial	5901 Peachtree Dunwoody 200 Suite: Bldg B Sandy Springs, GA 30328	BC21-00407	Interior Finish	08/30/2021	Under Review
Building Commercial	5775 Peachtree Dunwoody Rd Suite: D Ste 10-A Sandy Springs, GA 30342	BC21-00408	Interior Finish	08/31/2021	Under Review
Tree Removal	W 645 Powderhorn Rd Sandy Springs, GA 30342	TR21-00548	Tree Removal	08/31/2021	Issued
Building Residential	4470 Crestwicke Pte Sandy Springs, GA 30319	BR21-00661	Addition and Alteration	08/31/2021	Under Review
Building Residential	5125 Baroque Cir Sandy Springs, GA 30342	BR21-00662	Interior Alterations	09/01/2021	Under Review
Tree Removal	5750 Kayron Dr Sandy Springs, GA 30328	TR21-00550	Tree Removal	09/01/2021	Issued
Building Commercial	960 Johnson Ferry Ne Rd Sandy Springs, GA 30342	BC21-00410	Interior Finish	09/01/2021	Under Review
Building Commercial	5600 Glenridge Dr Sandy Springs, GA 30342	BC21-00411	Addition and Alteration	09/02/2021	Under Review
Retaining Wall	5915 Brookgreen Rd Sandy Springs, GA 30328	RW21-00203	Residential	09/02/2021	Under Review
Mechanical	5480 Shiver Smt Sandy Springs, GA 30342	MC21-00500	Residential	09/02/2021	Under Review
Tree Removal	4954 Peachtree Dunwoody Rd Sandy Springs, GA 30342	TR21-00557	Tree Removal	09/03/2021	Issued

Council District 6

Pool	5600 Cross Gate Dr Sandy Springs, GA 30327	Pool21-00107	Private Outdoor	08/29/2021	Under Review
Tree Removal	905 Marseilles Dr Sandy Springs, GA 30327	TR21-00542	Tree Removal	08/30/2021	Issued
Plumbing	4680 Jett Rd Sandy Springs, GA 30327	PL21-00187	Residential	08/30/2021	Under Review
Tree Removal	100 Helmsley Dr Sandy Springs, GA 30327	TR21-00546	Tree Removal	08/30/2021	Issued
Electrical	5 Hastings Mnr Sandy Springs, GA 30327	EL21-00229	Residential	08/30/2021	Under Review
Pool	W 1295 Garmon Rd Sandy Springs, GA 30327	Pool21-00108	Private Outdoor	08/31/2021	Under Review
Retaining Wall	W 1295 Garmon Rd Sandy Springs, GA 30327	RW21-00199	Residential	08/31/2021	Under Review
Tree Removal	92 Mount Paran Ne Rd Sandy Springs, GA 30342	TR21-00549	Tree Removal	09/01/2021	Issued
Building Residential	610 Colebrook Ct Sandy Springs, GA 30327	BR21-00667	Addition and Alteration	09/02/2021	Under Review
Electrical	25 Pine Lake Dr Sandy Springs, GA 30342	EL21-00235	Low Voltage	09/02/2021	Under Review
Mechanical	720 Fair Oaks Mnr Sandy Springs, GA 30327	MC21-00498	Residential	09/02/2021	Under Review
Demolition	4865 Jett Rd Sandy Springs, GA 30327	DM21-00068	Residential	09/02/2021	Under Review
Retaining Wall	460 Montwicke Chas Sandy Springs, GA 30327	RW21-00204	Residential	09/02/2021	Under Review
Special Event	5585 Mount Vernon Pkwy Sandy Springs, GA 30327	SE21-00045	Festival/Event	09/02/2021	Under Review
Tree Removal	348 Glencastle Dr Sandy Springs, GA 30327	TR21-00556	Tree Removal	09/03/2021	Issued
Tree Removal	1155 Old Powers Ferry Rd Sandy Springs, GA 30327	TR21-00558	Tree Removal	09/03/2021	Issued

PUBLIC SAFETY

SSPD SOUTH DISTRICT

- Reported 12 entering-auto incidents. 8 vehicles were unlocked. Purses, cash, and credit cards stolen.

SSPD NORTH DISTRICT

- Reported 1 burglary incident. Commercial burglary. Cash, checks stolen.
- Reported 2 entering auto incidents. All forced entry. Miscellaneous items were stolen
- Aggravated Assault: 1 victim stabbed by acquaintance inside an apartment. Offender identified, arrested.
- Death Investigation: Detectives investigated the death of a 2 month old baby. Baby died as a result of co-sleeping. No foul play suspected.
- Robbery: 1 gas station business was robbed at gunpoint. Clerk was assaulted (pistol-whipped) and money stolen.

Total Alarm Calls	17
False Alarms	17
Calls for Service (CFS)	2,054
Citizen Initiated CFS	885
Officer Initiated CFS	1,169
Accidents	100
Citations/ Summons Issued	389

SSPD Street Crimes Unit (SCU)

- The Unit reported 4 felony arrests, 5 misdemeanor arrests, 1 City Ordinance arrest, 15 traffic stops, 13 traffic citations issued, 4 wanted persons located, 5 suspicious persons/ vehicles, 5 Arrest Warrants, 3 search warrants, 30 surveillance hours, 44 hours assisting other Units, 5 cases assigned, 2 cases cleared, 15 investigative hours.

SSPD Traffic Unit

- The Unit reported 1 felony arrest, 3 felony arrests, 8 misdemeanor arrests, 1 City arrests, 140 traffic stops, 163 citations issued, 0 wanted person located, 1 field contact, 29 hours addressing traffic complaints, 2 arrest warrants, 3 hit and run cases assigned, 8 hit and run cleared cases, 6 hours assisting other Units, 2 DUI arrests, 2 motor vehicle crash investigations, and 11 Calls for Service

SSPD Traffic Vehicle Response

- the Unit reported 1 misdemeanor arrests, 6 traffic stops, 6 citations issued, 7 motor vehicle crash investigations, 43 Patrol Unit assists, 3 flat tires assists, 4 fuel assists, 58 Calls for Service, 2 jump start assists, and 3 hours assisting other Units

SSPD K-9 Unit

- The Unit reported 5 misdemeanor arrests, 6 City Ordinance arrests, 31 traffic stops, 29 traffic citations, 1 wanted person located, 1 suspicious person/vehicle, 1 K-9 search (person), 6 K-9 searches (things), 6 drug complaints, 4 Search Warrants, 8 K-9 deployments, 3 hours addressing traffic complaints, 34 hours assisting other Units, and 1 hour assisting other Agencies

SSPD Bike Patrol Unit

- Issued 4 traffic citations, made 8 arrests, and continue to monitor homeless activity within the District

Citizens on Patrol Unit

- Reported 151.25 work hours composed of 24 shifts this past week. Additionally, the Unit conducted 2 house checks, 97 business checks, and issued 25 handicap-parking citations.

SSFD OPERATIONS

- Responded to 317 calls: 3 Fires, 107 EMS, 25 Service, 133 Good Intent, 42 False Alarms
- Units responded to reports of a structure fire in the 8100 block of Colquitt Road. Upon arrival, crew found light smoke coming from the first floor unit. Personnel made entry through the rear door with a water can and were able to contain two spot fires. Crew also pulled a 1.75" attack line to the alpha side and completely extinguished the fire. Personnel found a tripped breaker in the electrical panel. Smoke damage was mainly contained to the living room, kitchen and hallway. Fire damage was confined to a worktable and the interior exposure D wall with minimum water damage.
- Units responded to reports of a dumpster fire in the 6300 block of Roswell Road. Crew arrived on scene to a small dumpster with a small amount of trash smoldering. Personnel used a water can to cool off and extinguish the contents. No other hazards remained.
- Units responded to reports of a vehicle fire on GA-400 north bound near Pitts Road. On scene personnel extinguished a fire that was involving approximately 50% of the vehicle with one 1.75" hand line. No occupants were in the vehicle at the time crewmembers arrived on scene. The vehicle was off the roadway and completely on the shoulder of the road when units departed the scene.

SSFD INSPECTIONS

- There were 219 inspections conducted with 45 violations cited.